

## ADDENDUM No. 01

### REQUEST FOR QUALIFICATIONS FOR PAJARO RIVER LEVEE CULVERT REPLACEMENT DESIGN SERVICES RFQ No. 18-006

The following clarifications, changes, additions and/or deletions are hereby made a part of the Request for Qualifications (RFQ) for the Pajaro River Levee Culvert Replacement Design Services, RFQ No. 18-006, issued by the Monterey County Water Resources Agency (AGENCY). RFQ Respondents (Respondents) are required to acknowledge receipt of this addendum by completing the **Acknowledge of Receipt of Addendum** provided in this addendum as Attachment 1. Please submit completed **Acknowledge of Receipt of Addendum** with Statement of Qualifications. Failure to do so may subject the Respondent to disqualification.

1.1. The following questions were received from Respondents prior to the deadline for written questions.

1.1.1. QUESTION: The RFQ asks for # of work hours and associated rates. Can we include our estimated work hours in our package with our hourly rates shown in a separate sealed envelope?

ANSWER: Yes, please submit your fee proposal in a separate sealed envelope within the Statement of Qualifications Proposal package. Label envelope according to the submittal instructions described in Section 8.1 of the RFQ.

1.1.2. QUESTION: How many copies of our submittal is required?

ANSWER: One (1) signed original.

1.1.3. QUESTION: Is CEQA and NEPA required as part of our scope?

ANSWER: No.


1.1.4. QUESTION: Section 7.1, Qualifications Package Requirements does not list approach as a submittal item; however, the selection criteria show approach as worth 40% of the scoring. Please clarify if an approach is required.

ANSWER: Yes, please provide your firm's approach to the RFQ's Scope of Work. Include information on staff roles and responsibilities, scheduling, software used, and other relevant details to demonstrate the Respondent's ability to accomplish the Scope of Work. (2 Page Limit)


1.1.5. QUESTION: When will response to questions be posted / distributed?

ANSWER: The answers to written questions will be distributed and posted on the AGENCY's website by 12:00 pm on Wednesday, October 3, 2018.

END OF ADDENDUM No. 01



Manuel Saavedra  
Water Resources Engineer



Date

# Attachment 1

## ACKNOWLEDGMENT OF RECEIPT OF ADDENDUM FOR PAJARO RIVER LEVEE CULVERT REPLACEMENT DESIGN SERVICES RFQ No. 18-006

By signing this document, I acknowledge the receipt of **Addendum No. 1**, and that it is included with the Statement of Qualifications submitted for consideration for the Pajaro River Levee Culvert Replacement Design Services, RFQ No. 18-006, issued by the Monterey County Water Resources Agency.

Signature: \_\_\_\_\_

Name (Print): \_\_\_\_\_

Company Name: \_\_\_\_\_

Date: \_\_\_\_\_