

What is the inspector looking for?

- Toilet and handwashing facilities are within a 5 min walk or ¼ mile from the work location.
- Toilet paper is provided in a suitable holder for each toilet.
- Handwashing facilities are provided at the unit or in the immediate vicinity.
- Toilet facilities are structurally sound, properly ventilated, self closing, lockable from the inside, and the proper dimensions.
- For each 20 employees, one separate toilet is required for each gender.



What else?

Maintenance and Disposal

- Toilet facilities are maintained in a clean and sanitary manner.
 - Effective odor control and solid-liquefying chemicals.
- The contents of the toilets are disposed of in a permitted manner.
 - Sanitary sewer
 - Approved septic system
 - Permitted liquid waste hauler




That's it?

Potable Drinking Water



- A sufficient supply of potable, fresh, pure, and cool drinking water must be provided and readily accessible to all employees.
- The water must be dispensed in single use drinking cups or by fountain.



What can I do to help?



Help Educate





Anything New?

AB 1732

Effective March 1, 2017



Health and Safety Code sec. 118600

“All single-user toilet facilities in any business establishment, place of public accommodation, or state or local government agency shall be identified as all-gender toilet facilities by signage that complies with Title 24 of the California Code of Regulations, and designated for use by no more than one occupant at a time or for family assisted use.”

Cal-Osha Update:

Toilet facilities that are multiple-user or that contain other than a flush toilet (chemical toilets) are **not** covered by HSC section 118600 and must still be provided separately for males and females.

For More Information Go To:

MTYHD.ORG

Click on: **Environmental Health**

Click on: **Consumer Health Protection
Services**

Main Phone: **(831) 755-4505**

Ifeoma Okolie

Registered Environmental Health Specialist III

Monterey County Health Department



Randy McMurray

Registered Environmental Health Specialist III

Monterey County Health Department

Questions?

