

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

| <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> |   | <b>ICD-10</b> | <b>Mapping</b>   |
|---|---|---------------|--|
| <b>ICD-9 CM</b>   | <b>Description</b>                                      | <b>ICD-10</b> | <b>Description</b>   |
| 290.42  | Vascular Dementia, with Delusions                       | F01.51        | Vascular dementia with behavioral disturbance  |
| 290.43  | Vascular Dementia, with Depressed Mood                  | F01.51        | Vascular dementia with behavioral disturbance  |
| 291.3   | Alcohol-Induced Psychotic Disorder, With Hallucinations | F10.951       | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations |
|   |   | F10.151       | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations            |
|   |   | F10.251       | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations       |
| 291.5   | Alcohol-Induced Psychotic Disorder, With Delusions      | F10.950       | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions      |
|   |   | F10.150       | Alcohol abuse with alcohol-induced psychotic disorder with delusions                 |
|   |   | F10.250       | Alcohol dependence with alcohol-induced psychotic disorder with delusions            |
| 291.89  | Alcohol-Induced Anxiety Disorder                        | F10.288       | Alcohol dependence with other alcohol-induced disorder                               |
|   |   | F10.180       | Alcohol abuse with alcohol-induced anxiety disorder                                  |
|   |   | F10.280       | Alcohol dependence with alcohol-induced anxiety disorder                             |
|   | Alcohol-Induced Mood Disorder                           | F10.14        | Alcohol abuse with alcohol-induced mood disorder                                     |
|   |   | F10.24        | Alcohol dependence with alcohol-induced mood disorder                                |
|   |   | F10.94        | Alcohol use, unspecified with alcohol-induced mood disorder                          |
| 292.11  | Amphetamine-Induced Psychotic Disorder, With Delusions  | F15.150       | Other stimulant abuse with stimulant-induced psychotic disorder with delusions       |
|   |   | F15.250       | Stimulant-induced psychotic disorder with delusions                                  |
|   |   | F15.950       | Stimulant-induced psychotic disorder with delusions                                  |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>  |
|-----------------|---|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>  |
| 292.11          | Cannabis-Induced Psychotic Disorder,<br>With Delusions                    | F12.150       | Cannabis abuse with psychotic disorder with delusions                                     |
|                 |   | F12.250       | Cannabis dependence with psychotic disorder with delusions                                |
|                 |   | F12.950       | Cannabis use, unspecified with psychotic disorder with delusions                          |
|                 | Cocaine-Induced Psychotic Disorder,<br>With Delusions                     | F14.150       | Cocaine abuse with cocaine-induced psychotic disorder with delusions                      |
|                 |   | F14.250       | Cocaine dependence with cocaine-induced psychotic disorder with delusions                 |
|                 |   | F14.950       | Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions           |
|                 | Hallucinogen-Induced Psychotic Disorder,<br>With Delusions                | F16.150       | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions            |
|                 |   | F16.250       | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions       |
|                 |   | F16.950       | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions |
|                 | Inhalant-Induced Psychotic Disorder,<br>With Delusions                    | F18.150       | Inhalant abuse with inhalant-induced psychotic disorder with delusions                    |
|                 |   | F18.250       | Inhalant depend with inhalant-induced psychotic disorder with delusions                   |
|                 |   | F18.950       | Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions         |
|                 | Opioid-Induced Psychotic Disorder, With<br>Delusions                      | F11.150       | Opioid abuse with opioid-induced psychotic disorder with delusions                        |
|                 |   | F11.250       | Opioid dependence with opioid-induced psychotic disorder with delusions                   |
|                 |   | F11.950       | Opioid use, unspecified with opioid-induced psychotic disorder with delusions             |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>      | <b>ICD-10</b> | <b>Mapping</b>  |
|-----------------|--|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>   | <b>ICD-10</b> | <b>Description</b>  |
| 292.11          | Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions        | F19.150       | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions                              |
|                 |  | F19.19        | Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder   |
|                 |  | F19.250       | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions                         |
|                 |  | F19.950       | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions                   |
|                 | Phencyclidine-Induced Psychotic Disorder, With Delusions                       | F16.150       | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions  |
|                 |  | F16.250       | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions   |
|                 |  | F16.950       | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions   |
|                 | Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Delusions | F13.150       | Sedative, hypnotic, or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder w delusions               |
|                 |  | F13.250       | Sedative, hypnotic, or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder w delusions          |
|                 |  | F13.950       | Sedative, hypnotic, or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with delusions |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>   |
|-----------------|---|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>   |
| 292.12          | Amphetamine-Induced Psychotic Disorder, With Hallucinations               | F15.151       | Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations            |
|                 |   | F15.251       | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations       |
|                 |   | F15.951       | Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations |
|                 | Cannabis-Induced Psychotic Disorder, With Hallucinations                  | F12.151       | Cannabis abuse with cannabis-induced psychotic disorder with hallucinations                    |
|                 |   | F12.251       | Cannabis dependence with cannabis-induced psychotic disorder with hallucinations               |
|                 |   | F12.951       | Cannabis use, unspecified with cannabis-induced psychotic disorder with hallucinations         |
|                 | Cocaine-Induced Psychotic Disorder, With Hallucinations                   | F14.151       | Cocaine abuse with cocaine-induced psychotic disorder with hallucinations                      |
|                 |   | F14.251       | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations                 |
|                 |   | F14.951       | Cocain use, unspecified with cocaine-induced psychotic disorder with hallucinations            |
|                 | Hallucinogen-Induced Psychotic Disorder, With Hallucinations              | F16.151       | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations            |
|                 |   | F16.251       | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations       |
|                 |   | F16.951       | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations |
| 292.12          | Inhalant-Induced Psychotic Disorder, With Hallucinations                  | F18.151       | Inhalant abuse with inhalant-induced psychotic disorder with hallucinations                    |
|                 |   | F18.251       | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations               |
|                 |   | F18.951       | Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations         |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>           | <b>ICD-10</b> | <b>Mapping</b>   |
|-----------------|---|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>   |
| 292.12          | Opioid-Induced Psychotic Disorder, With Hallucinations                              | F11.151       | Opioid abuse with opioid-induced psychotic disorder with hallucinations  |
|                 |   | F11.251       | Opioid dependence with opioid-induced psychotic disorder with hallucinations   |
|                 |   | F11.951       | Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations   |
|                 | Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations        | F19.151       | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations                              |
|                 |   | F19.251       | Other sychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations                          |
|                 |   | F19.951       | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations                   |
|                 | Phencyclidine-Induced Psychotic Disorder, With Hallucinations                       | F16.151       | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations  |
|                 |   | F16.251       | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations   |
|                 |   | F16.951       | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations   |
|                 | Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations | F13.151       | Sedative, hypnotic, or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with hallucinations            |
|                 |   | F13.251       | Sedative, hypntotic, or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with hallucinations      |
|                 |   | F13.951       | Sedative, hypnotic, or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with hallucinations |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b>                                      | <b>Mapping</b>  |
|-----------------|---|--|---|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b>                                      | <b>Description</b>  |
| 292.84          | Amphetamine-Induced Mood Disorder   | F15.14   | Other stimulant abuse with stimulant-induced mood disorder                                      |
|                 |   | F15.24   | Other stimulant dependence with stimulant-induced mood disorder                                 |
|                 |   | F15.94   | Other stimulant use, unspecified with stimulant-induced mood disorder                           |
|                 | Cocaine-Induced Mood Disorder   | F14.14   | Cocaine abuse with cocaine-induced mood disorder  |
|                 |   | F14.24   | Cocaine dependence with cocaine-induced mood disorder   |
|                 |   | F14.94   | Cocaine use, unspecified with cocaine-induced mood disorder                                     |
|                 | Hallucinogen-Induced Mood Disorder  | F16.14   | Hallucinogen abuse with hallucinogen-induced mood disorder                                      |
|                 |   | F16.24   | Hallucinogen dependence with hallucinogen-induced mood disorder                                 |
|                 |   | F16.94   | Hallucinogen use, unspecified with hallucinogen-induced mood disorder                           |
|                 | Inhalant-Induced Mood Disorder  | F18.14   | Inhalant abuse with inhalant-induced mood disorder  |
|                 |   | F18.24   | Inhalant dependence with inhalant-induced mood disorder   |
|                 | Opioid-Induced Mood Disorder  | F11.14   | Opioid abuse with opioid-induced mood disorder  |
|                 |   | F11.24   | Opioid dependence with opioid-induced mood disorder   |
|                 |   | F11.94   | Opioid use, unspecified with opioid-induced mood disorder                                       |
|                 | 292.84  | Other (or Unknown) Substance-Induced Mood Disorder | F19.14  |
| F19.24          |   |  | Other psychoactive substance dependence with psychoactive substance-induced mood disorder       |
| F19.94          |   |  | Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>   |
|-----------------|---|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>   |
| 292.84          | Phencyclidine-Induced Mood Disorder                                       | F16.14        | Hallucinogen abuse with hallucinogen-induced mood disorder   |
|                 |   | F16.24        | Hallucinogen dependence with hallucinogen-induced mood disorder  |
|                 |   | F16.94        | Hallucinogen use, unspecified with hallucinogen-induced mood disorder  |
|                 | Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder                 | F13.14        | Sedative, hypnotic or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced mood disorder            |
|                 |   | F13.24        | Sedative, hypnotic or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced mood disorder       |
|                 |   | F13.94        | Sedative, hypnotic or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced mood disorder |
|                 |   | F19.982       | Other (or unknown) stimulant-induced sleep disorder without other (or unknown) substance use disorder            |
| 292.89          | Amphetamine-Induced Anxiety Disorder                                      | F15.180       | Other stimulant abuse with stimulant-induced anxiety disorder  |
|                 |   | F15.280       | Other stimulant dependence with stimulant-induced anxiety disorder   |
|                 |   | F15.980       | Other stimulant use, unspecified with stimulant-induced anxiety disorder   |
|                 | Caffeine-Induced Anxiety Disorder   | F15.180       | Other stimulant abuse with other stimulant-induced anxiety disorder  |
|                 |   | F15.280       | Other stimulant dependence with other stimulant-induced anxiety disorder   |
|                 |   | F15.980       | Other stimulant use, unspecified with other stimulant-induced anxiety disorder                                   |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>  |
|-----------------|---|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>  |
| 292.89          | Cannabis-Induced Anxiety Disorder   | F12.180       | Cannabis abuse with cannabis-induced anxiety disorder                                       |
|                 |   | F12.280       | Cannabis dependence with cannabis-induced anxiety disorder                                  |
|                 |   | F12.980       | Cannabis use, unspecified with cannabis-induced anxiety disorder                            |
|                 | Cocaine-Induced Anxiety Disorder  | F14.180       | Cocaine abuse with cocaine-induced anxiety disorder   |
|                 |   | F14.280       | Cocaine dependence with cocaine-induced anxiety disorder                                    |
|                 |   | F14.980       | Cocaine use, unspecified, with cocaine-induced anxiety disorder                             |
|                 | Hallucinogen Persisting Perception Disorder                               | F16.183       | Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)            |
|                 |   | F16.283       | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)       |
|                 |   | F16.983       | Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks) |
|                 | Inhalant-Induced Anxiety Disorder   | F18.188       | Inhalant abuse with other inhalant-induced disorder   |
|                 |   | F18.288       | Inhalant dependence with other inhalant-induced disorder                                    |
|                 |   | F18.988       | Inhalant use, unspecified with other inhalant-induced disorder                              |
|                 | Opioid-Induced Anxiety Disorder   | F11.188       | Opioid-induced anxiety disorder with opioid use disorder, mild                              |
|                 |   | F11.288       | Opioid-induced anxiety disorder with opioid use disorder, moderate or severe                |
|                 |   | F11.988       | Opioid-induced anxiety disorder without opioid use disorder                                 |



**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>  |
|-----------------|---|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>  |
| 292.89          | Other (or Unknown) Substance-Induced Anxiety Disorder                     | F19.180       | Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder                             |
|                 |   | F19.280       | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder                        |
|                 |   | F19.980       | Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder                  |
|                 | Phencyclidine-Induced Anxiety Disorder                                    | F16.180       | Hallucinogen abuse with hallucinogen-induced anxiety disorder   |
|                 |   | F16.280       | Hallucinogen dependence with hallucinogen-induced anxiety disorder  |
|                 |   | F16.980       | Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder  |
|                 | Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder              | F13.180       | Sedative, hypnotic or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced anxiety disorder            |
|                 |   | F13.280       | Sedative, hypnotic or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced anxiety disorder       |
|                 |   | F13.980       | Sedative, hypnotic or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced anxiety disorder |
| 295.10          | Schizophrenia, Disorganized Type  | F20.1         | Disorganized schizophrenia  |
| 295.20          | Schizophrenia, Catatonic Type   | F20.2         | Catatonic schizophrenia   |
| 295.30          | Schizophrenia, Paranoid Type  | F20.0         | Paranoid schizophrenia  |
| 295.40          | Schizophreniform Disorder   | F20.81        | Schizophreniform disorder   |
| 295.60          | Schizophrenia, Residual Type  | F20.5         | Residual schizophrenia  |
| 295.70          | Schizoaffective Disorder  | F25.0         | Schizoaffective disorder, bipolar type  |
|                 |   | F25.1         | Schizoaffective disorder, depressive type   |
|                 |   | F25.8         | Other schizoaffective disorders   |
|                 |   | F25.9         | Schizoaffective disorder, unspecified   |
| 295.90          | Schizophrenia, Undifferentiated Type                                      | F20.3         | Undifferentiated schizophrenia  |
|                 |   | F20.9         | Schizophrenia, unspecified  |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>          | <b>ICD-10</b>   | <b>Mapping</b>  |
|-----------------|--|-----------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>   | <b>ICD-10</b>   | <b>Description</b>  |
| 296.00          | Bipolar I Disorder, Single Manic Episode,<br>Unspecified                           | F30.10<br>F30.9 | Manic episode without psychotic symptoms, unspecified<br>Manic episode, unspecified |
| 296.01          | Bipolar I Disorder, Single Manic Episode,<br>Mild                                  | F30.11          | Manic episode without psychotic symptoms, mild                                      |
| 296.02          | Bipolar I Disorder, Single Manic Episode,<br>Moderate                              | F30.12          | Manic episode without psychotic symptoms, moderate                                  |
| 296.03          | Bipolar I Disorder, Single Manic Episode,<br>Severe Without Psychotic Features     | F30.13          | Manic episode without psychotic symptoms, severe                                    |
| 296.04          | Bipolar I Disorder, Single Manic Episode,<br>Severe With Psychotic Features        | F30.2           | Manic episode, severe, with psychotic symptoms                                      |
| 296.05          | Bipolar I Disorder, Single Manic Episode,<br>In Partial Remission                  | F30.3           | Manic episode in partial remission  |
| 296.06          | Bipolar I Disorder, Single Manic Episode,<br>In Full Remission                     | F30.4           | Manic episode in full remission   |
| 296.20          | Major Depressive Disorder, Single<br>Episode, Unspecified                          | F32.9           | Major depressive disorder, single episode, unspecified                              |
| 296.21          | Major Depressive Disorder, Single<br>Episode, Mild                                 | F32.0           | Major depressive disorder, single episode, mild                                     |
| 296.22          | Major Depressive Disorder, Single<br>Episode, Moderate                             | F32.1           | Major depressive disorder, single episode, moderate                                 |
| 296.23          | Major Depressive Disorder, Single<br>Episode, Severe Without Psychotic<br>Features | F32.2           | Major depressive disorder, single episode, severe, without<br>psychotic features    |
| 296.24          | Major Depressive Disorder, Single<br>Episode, Severe With Psychotic Features       | F32.3           | Major depressive disorder, single episode, severe, with psychotic<br>features       |
| 296.25          | Major Depressive Disorder, Single<br>Episode, In Partial Remission                 | F32.4           | Major depressive disorder, single episode, in partial remission                     |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>        | <b>ICD-10</b> | <b>Mapping</b>  |
|-----------------|--|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>   | <b>ICD-10</b> | <b>Description</b>  |
| 296.26          | Major Depressive Disorder, Single Episode, In Full Remission                     | F32.5         | Major depressive disorder, single episode, in full remission                    |
| 296.30          | Major Depressive Disorder, Recurrent, Unspecified                                | F33.40        | Major depressive disorder, recurrent, in remission, unspecified                 |
|                 |  | F33.9         | Major depressive disorder, recurrent, unspecified                               |
| 296.31          | Major Depressive Disorder, Recurrent, Mild                                       | F33.0         | Major depressive disorder, recurrent, mild                                      |
| 296.32          | Major Depressive Disorder, Recurrent, Moderate                                   | F33.1         | Major depressive disorder, recurrent, moderate                                  |
| 296.33          | Major Depressive Disorder, Recurrent, Severe Without Psychotic Features          | F33.2         | Major depressive disorder, recurrent, severe, without psychotic features        |
| 296.34          | Major Depressive Disorder, Recurrent, Severe With Psychotic Features             | F33.3         | Major depressive disorder, recurrent, severe, with psychotic symptoms           |
| 296.35          | Major Depressive Disorder, Recurrent, In Partial Remission                       | F33.41        | Major depressive disorder, recurrent, in partial remission                      |
| 296.36          | Major Depressive Disorder, Recurrent, In Full Remission                          | F33.42        | Major depressive disorder, recurrent, in full remission                         |
| 296.40          | Bipolar I Disorder, Most Recent Episode Hypomanic                                | F31.0         | Bipolar disorder, current episode hypomanic                                     |
|                 |  | F31.89        | Other bipolar disorder  |
|                 | Bipolar I Disorder, Most Recent Episode Manic, Unspecified                       | F31.10        | Bipolar disorder, current episode manic without psychotic features, unspecified |
| 296.41          | Bipolar I Disorder, Most Recent Episode Manic, Mild                              | F31.11        | Bipolar disorder, current episode manic without psychotic features, mild        |
| 296.42          | Bipolar I Disorder, Most Recent Episode Manic, Moderate                          | F31.12        | Bipolar disorder, current episode manic without psychotic features, moderate    |
| 296.43          | Bipolar I Disorder, Most Recent Episode Manic, Severe Without Psychotic Features | F31.13        | Bipolar disorder, current episode manic without psychotic features, severe      |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>            | <b>ICD-10</b> | <b>Mapping</b>  |
|-----------------|--|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>   | <b>ICD-10</b> | <b>Description</b>  |
| 296.44          | Bipolar I Disorder, Most Recent Episode Manic, Severe With Psychotic Features        | F31.2         | Bipolar disorder, current episode manic, severe, with psychotic features            |
| 296.45          | Bipolar I Disorder, Most Recent Episode Manic, In Partial Remission                  | F31.73        | Bipolar disorder, in partial remission, most recent episode manic                   |
| 296.46          | Bipolar I Disorder, Most Recent Episode Manic, In Full Remission                     | F31.74        | Bipolar disorder, in full remission, most recent episode manic                      |
| 296.50          | Bipolar I Disorder, Most Recent Episode Depressed, Unspecified                       | F31.30        | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| 296.51          | Bipolar I Disorder, Most Recent Episode Depressed, Mild                              | F31.31        | Bipolar disorder, current episode depressed, mild                                   |
| 296.52          | Bipolar I Disorder, Most Recent Episode Depressed, Moderate                          | F31.32        | Bipolar disorder, current episode depressed, moderate                               |
| 296.53          | Bipolar I Disorder, Most Recent Episode Depressed, Severe Without Psychotic Features | F31.4         | Bipolar disorder, current episode depressed, severe, without psychotic features     |
| 296.54          | Bipolar I Disorder, Most Recent Episode Depressed, Severe With Psychotic Features    | F31.5         | Bipolar disorder, current episode depressed, severe, with psychotic features        |
| 296.55          | Bipolar I Disorder, Most Recent Episode Depressed, In Partial Remission              | F31.75        | Bipolar disorder, in partial remission, most recent episode depressed               |
| 296.56          | Bipolar I Disorder, Most Recent Episode Depressed, In Full Remission                 | F31.76        | Bipolar disorder, in full remission, most recent episode depressed                  |
| 296.60          | Bipolar I Disorder, Most Recent Episode Mixed, Unspecified                           | F31.60        | Bipolar disorder, current episode mixed, unspecified                                |
| 296.61          | Bipolar I Disorder, Most Recent Episode Mixed, Mild                                  | F31.61        | Bipolar disorder, current episode mixed, mild                                       |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>        | <b>ICD-10</b> | <b>Mapping</b>   |
|-----------------|--|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>   | <b>ICD-10</b> | <b>Description</b>   |
| 296.62          | Bipolar I Disorder, Most Recent Episode Mixed, Moderate                          | F31.62        | Bipolar disorder, current episode mixed, moderate                                |
| 296.63          | Bipolar I Disorder, Most Recent Episode Mixed, Severe Without Psychotic Features | F31.63        | Bipolar disorder, current episode mixed, severe, without psychotic features      |
| 296.64          | Bipolar I Disorder, Most Recent Episode Mixed, Severe With Psychotic Features    | F31.64        | Bipolar disorder, current episode mixed, severe, with psychotic features         |
| 296.65          | Bipolar I Disorder, Most Recent Episode Mixed, In Partial Remission              | F31.77        | Bipolar disorder, in partial remission, most recent episode mixed                |
| 296.66          | Bipolar I Disorder, Most Recent Episode Mixed, In Full Remission                 | F31.78        | Bipolar disorder, in full remission, most recent episode mixed                   |
| 296.7           | Bipolar I Disorder, Most Recent Episode Unspecified                              | F31.9         | Bipolar disorder, unspecified  |
| 296.80          | Bipolar Disorder NOS   | F31.9         | Bipolar disorder, unspecified  |
| 296.89          | Bipolar II Disorder  | F31.81        | Bipolar II disorder  |
| 296.90          | Mood Disorder NOS  | F39           | Unspecified mood [affective] disorder  |
|                 |  | F33.8         | Other recurrent depressive disorders   |
|                 |  | F34.8         | Other persistent mood [affective] disorders                                      |
|                 |  | F34.9         | Persistent mood [affective] disorder, unspecified                                |
| 297.1           | Delusional Disorder  | F22           | Delusional disorders   |
| 297.3           | Shared Psychotic Disorder  | F24           | Shared psychotic disorder  |
| 298.8           | Brief Psychotic Disorder   | F23           | Brief psychotic disorder   |
| 298.9           | Psychotic Disorder NOS   | F28           | Other psychotic disorder not due to a substance or known physiological condition |
|                 |  | F29           | Unspecified psychosis not due to a substance or known physiological condition    |
| 299.00          | Autistic Disorder  | F84.0         | Autistic disorder  |
| 299.10          | Childhood Disintegrative Disorder  | F84.3         | Other childhood disintegrative disorder  |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>                                      |
|-----------------|---|---------------|---|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>                                  |
| 299.80          | Asperger's Disorder   | F84.5         | Asperger's syndrome                                 |
|                 | Pervasive Developmental Disorder NOS                                      | F84.8         | Other pervasive developmental disorder              |
|                 | Rett's Disorder   | F84.9         | Pervasive developmental disorder, unspecified       |
| 300.00          | Anxiety Disorder NOS  | F41.9         | Anxiety disorder, unspecified                       |
| 300.01          | Panic Disorder Without Agoraphobia  | F41.0         | Panic disorder without agoraphobia                  |
| 300.02          | Generalized Anxiety Disorder  | F41.1         | Generalized anxiety disorder                        |
| 300.11          | Conversion Disorder   | F44.4         | Conversion disorder with motor symptom or deficit   |
|                 |   | F44.5         | Conversion disorder with seizures or convulsions    |
|                 |   | F44.6         | Conversion disorder with sensory symptom or deficit |
|                 |   | F44.7         | Conversion disorder with mixed symptom presentation |
| 300.12          | Dissociative Amnesia  | F44.0         | Dissociative amnesia                                |
| 300.13          | Dissociative Fugue  | F44.1         | Dissociative fugue                                  |
| 300.14          | Dissociative Identity Disorder  | F44.81        | Dissociative identity disorder                      |
| 300.15          | Dissociative Disorder NOS   | F44.9         | Dissociative and conversion disorder, unspecified   |
| 300.21          | Panic Disorder With Agoraphobia   | F40.01        | Agoraphobia with panic disorder                     |
| 300.22          | Agoraphobic Without History of Panic Disorder                             | F40.02        | Agoraphobia without panic disorder                  |
|                 |   | F40.00        | Agoraphobia, unspecified                            |
| 300.23          | Social Phobia   | F40.10        | Social phobia, unspecified                          |
|                 |   | F40.11        | Social phobia, generalized                          |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>                           |
|-----------------|---|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>                       |
| 300.29          | Specific Phobia   | F40.210       | Arachnophobia                            |
|                 |   | F40.218       | Other animal type phobia                 |
|                 |   | F40.220       | Fear of thunderstorms                    |
|                 |   | F40.228       | Other natural environment type phobia    |
|                 |   | F40.230       | Fear of blood                            |
|                 |   | F40.231       | Fear of injections and transfusions      |
|                 |   | F40.232       | Fear of other medical care               |
|                 |   | F40.233       | Fear of injury                           |
|                 |   | F40.240       | Claustrophobia                           |
|                 |   | F40.241       | Acrophobia                               |
|                 |   | F40.242       | Fear of bridges                          |
|                 |   | F40.243       | Fear of flying                           |
|                 |   | F40.248       | Other situational type phobia            |
|                 |   | F40.290       | Androphobia                              |
|                 |   | F40.291       | Gynephobia                               |
|                 |   | F40.298       | Other specified phobia                   |
| 300.3           | Obsessive-Compulsive Disorder   | F42           | Obsessive-compulsive disorder            |
| 300.4           | Dysthymic Disorder  | F34.1         | Dysthymic disorder                       |
| 300.6           | Depersonalization Disorder  | F48.1         | Depersonalization-derealization syndrome |
| 300.7           | Body Dysmorphic Disorder  | F45.22        | Body dysmorphic disorder                 |
|                 | Hypochondriasis   | F45.21        | Hypochondriasis                          |
| 300.81          | Somatization Disorder   | F45.0         | Somatization disorder                    |
| 300.82          | Somatoform Disorder NOS   | F45.1         | Undifferentiated somatoform disorder     |
|                 | Undifferentiated Somatoform Disorder                                      | F45.1         | Undifferentiated Somatoform Disorder     |
| 301.0           | Paranoid Personality Disorder   | F60.0         | Paranoid personality disorder            |
| 301.13          | Cyclothymic Disorder  | F34.0         | Cyclothymic disorder                     |
| 301.20          | Schizoid Personality Disorder   | F60.1         | Schizoid personality disorder            |
| 301.22          | Schizotypal Personality Disorder  | F21           | Schizotypal disorder                     |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b> | <b>ICD-10</b> | <b>Mapping</b>   |
|-----------------|---|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>  | <b>ICD-10</b> | <b>Description</b>   |
| 301.4           | Obsessive-Compulsive Personality Disorder                                 | F60.5         | Obsessive-compulsive personality disorder                    |
| 301.50          | Histrionic Personality Disorder   | F60.4         | Histrionic personality disorder                              |
| 301.6           | Dependent Personality Disorder  | F60.7         | Dependent personality disorder                               |
| 301.7           | Antisocial Personality Disorder   | F60.2         | Antisocial personality disorder                              |
| 301.81          | Narcissistic Personality Disorder   | F60.81        | Narcissistic personality disorder                            |
| 301.82          | Avoidant Personality Disorder   | F60.6         | Avoidant personality disorder                                |
| 301.83          | Borderline Personality Disorder   | F60.3         | Borderline personality disorder                              |
| 301.9           | Personality Disorder NOS  | F60.9         | Personality disorder, unspecified                            |
| 307.1           | Anorexia Nervosa  | F50.00        | Anorexia nervosa, unspecified                                |
|                 |   | F50.01        | Anorexia nervosa, restricting type                           |
|                 |   | F50.02        | Anorexia nervosa, binge eating/purging type                  |
| 307.20          | Tic Disorder NOS  | F95.8         | Other tic disorders  |
|                 |   | F95.9         | Tic disorder, unspecified                                    |
| 307.22          | Chronic Motor or Vocal Tic Disorder                                       | F95.1         | Chronic motor or vocal tic disorder                          |
| 307.23          | Tourette's Disorder   | F95.2         | Tourette's disorder  |
| 307.3           | Stereotypic Movement Disorder   | F98.4         | Stereotyped movement disorders                               |
| 307.50          | Eating Disorder NOS   | F50.9         | Eating disorder, unspecified                                 |
| 307.51          | Bulimia Nervosa   | F50.2         | Bulimia nervosa  |
| 307.52          | Pica  | F98.3         | Pica of infancy and childhood                                |
| 307.53          | Rumination Disorder   | F98.21        | Rumination disorder of infancy                               |
| 307.59          | Feeding Disorder of Infancy or Early Childhood                            | F98.29        | Other feeding disorders of infancy and early childhood       |
| 307.6           | Enuresis (Not Due to a General Medical Condition)                         | F98.0         | Enuresis not due to a substance or known physiol condition   |
| 307.7           | Encopresis, Without Constipation and Overflow Incontinence                | F98.1         | Encopresis not due to a substance or known physiol condition |
| 307.80          | Pain Disorder Associated With Psychological Factors                       | F45.41        | Pain disorder exclusively related to psychological factors   |



**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                 | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>                | <b>ICD-10</b> | <b>Mapping</b>   |
|-----------------|--|---------------|--|
| <b>ICD-9 CM</b> | <b>Description</b>   | <b>ICD-10</b> | <b>Description</b>   |
| 307.89          | Pain Disorder Associated With Both Psychological Factors and a General Medical Condition | F45.42        | Pain disorder with related psychological factors                   |
| 308.3           | Acute Stress Disorder  | F43.0         | Acute stress reaction  |
| 309.0           | Adjustment Disorder with Depressed Mood  | F43.21        | Adjustment disorder with depressed mood                            |
| 309.21          | Separation Anxiety Disorder  | F93.0         | Separation anxiety disorder of childhood                           |
| 309.24          | Adjustment Disorder With Anxiety   | F43.22        | Adjustment disorder with anxiety                                   |
| 309.28          | Adjustment Disorder With Mixed Anxiety and Depressed Mood                                | F43.23        | Adjustment disorder with mixed anxiety and depressed mood          |
| 309.3           | Adjustment Disorder with Disturbance of Conduct  | F43.24        | Adjustment disorder with disturbance of conduct                    |
| 309.4           | Adjustment Disorder With Mixed Disturbance of Emotions and Conduct                       | F43.25        | Adjustment disorder with mixed disturbance of emotions and conduct |
| 309.81          | Posttraumatic Stress Disorder  | F43.10        | Post-traumatic stress disorder, unspecified                        |
|                 |  | F43.11        | Post-traumatic stress disorder, acute                              |
|                 |  | F43.12        | Post-traumatic stress disorder, chronic                            |
| 309.9           | Adjustment Disorder Unspecified  | F43.20        | Adjustment disorder, unspecified                                   |
| 311             | Depressive Disorder NOS  | F39           | Unspecified Mood Disorder  |
| 312.33          | Pyromania  | F63.1         | Pyromania  |
| 312.34          | Intermittent Explosive Disorder  | F63.81        | Intermittent explosive disorder                                    |
| 312.81          | Conduct Disorder, Childhood-Onset Type   | F91.1         | Conduct disorder, childhood-onset type                             |
| 312.82          | Conduct Disorder, Adolescent-Onset Type  | F91.2         | Conduct disorder, adolescent-onset type                            |
| 312.89          | Conduct Disorder, Unspecified Onset  | F91.9         | Conduct disorder, unspecified                                      |
| 312.9           | Disruptive Behavior Disorder NOS   | F91.9         | Conduct disorder, unspecified                                      |
| 313.23          | Selective Mutism   | F94.0         | Selective mutism   |
| 313.81          | Oppositional Defiant Disorder  | F91.3         | Oppositional defiant disorder                                      |
| 313.82          | Identity Problem   | F93.8         | Other childhood emotional disorders                                |

**Specialty Mental Health Services  
ICD-10 Inpatient Diagnosis Table**

|                  | <b>Included Diagnoses from the Contract<br/>Between DHCS and the MHPs</b>                    | <b>ICD-10</b> | <b>Mapping</b>  |
|------------------|--|---------------|---|
| <b>ICD-9 CM</b>  | <b>Description</b>   | <b>ICD-10</b> | <b>Description</b>  |
| 313.89           | Reactive Attachment Disorder of Infancy<br>or Early Childhood                                | F94.1         | Reactive attachment disorder of childhood                                   |
|                  |  | F94.2         | Disinhibited attachment disorder of childhood                               |
| 313.9            | Disorder of Infancy, Childhood or<br>Adolescence NOS   | F93.9         | Childhood emotional disorder, unspecified                                   |
| 314.00           | Attention-Deficit/Hyperactivity Disorder,<br>Predominantly Inattentive Type                  | F90.0         | Attention-deficit/hyperactivity disorder, predominantly inattentive<br>type |
| 314.01           | Attention-Deficit/Hyperactivity Disorder,<br>Combined Type                                   | F90.2         | Attention-deficit/hyperactivity disorder, other type                        |
|                  | Attention-Deficit/Hyperactivity Disorder,<br>Predominantly Hyperactive-Impulsive<br>Type     | F90.1         | Attention-deficit/hyperactivity disorder, predominantly hyperactive<br>type |
|                  |  | F90.2         | Attention-deficit/hyperactivity disorder, combined type                     |
| 314.9            | Attention-Deficit/Hyperactivity Disorder<br>NOS  | F90.8         | Attention-deficit/hyperactivity disorder, other type                        |
|                  |  | F90.9         | Attention-deficit/hyperactivity disorder, unspecified type                  |
| 787.6            | Encopresis, with Constipation and<br>Overflow Incontinence                                   | R15.0         | Incomplete defecation   |
|                  |  | R15.9         | Full Incontinence of Feces  |
| V71.09           | Assessment Period: Observation of<br>Other Suspected Mental Condition.                       | Z0389         | No diagnosis  |
| DSM 4:<br>799.90 | Used at the end of that assessment when<br>no diagnosis can be found; Illness<br>unspecified | R69           | Diagnosis deferred  |